



**International University of Africa**  
**Deanship of Graduate Studies**



## **Stability of Wafraclon and More Confirmation by Thermal Study**

**A Thesis Submitted in the Partial Fulfillment of the  
Requirements of the M.Sc Degree in Industrial Chemistry**

**By**

**Mai Malik Khider Omer**

**(B.Sc Chemistry in Chemical Laboratories at SUST)**

**Supervisor:**

**Dr.Salah Elnaiem Mohammed**

**Khartoum-Sudan**

**December 2017**

# Acknowledgment

**For the ancestors who paved the path before me upon whose shoulders I stand.**

**I would like to express my special thanks of gratitude to my supervisor:**

**Dr.Salah Elnaiem Mohammed**

**For his unlimited support, grate full effort, guidance and continuous encouragement to present this research in form.**

**As well as our principal: wafrapharma laborotaries who gave me the golden opportunity to posses this project on the topic stability of Ampiclox .**

**Thanked everyone who contributed and helped in the production of this research as honorable and extend thanks to all of my evacuation may god preserve them.....**

# Dedication

**This thesis is dedicated to my father who taught me that the best kind of knowledge is the one learned for its own ask, it is also dedicated to my mother who taught me that great task can be accomplished, if it is done in one step at a time.**

**Mai**

## **Abstract**

This research reviews the studies on the stability of wafraclox suspension drug Aimed to safe patients and substantiated the claimed shelf-life.

Which is composed of Ampicillin and Cloxacillin .The studies focused on three samples of Wafraclox.

The first sample was placed in the refrigerator at 8°C, and second sample exposed to the temperature of the room at 25°C ,and the third sample was placed in the oven at 40°C.

Then they were analyzed with registering the effectiveness rate weekly for 28 days.

A mechanical method for cloxacillin was 100 ml powder transferred to 100 ml volumetric flask and the volume was completed with water, 2 ml of each was diluted by 0.1M HCL, the absorbance was measured at 350 nm.

The concentration relation test was made also for Ampicillin because it is the other part of wafraclox drug content, that 144 mg/100 ml concentration, and the volume was completed with mobile phase to 100 ml, and then 20 ml are separately injected equal volume into the chromatograph, according to it the chromatogram was recorded.

Finally the result was registered, the percentage was calculated and the Stability was concluded.

The study recommends following the pharmaceutical prescripts of the drug from the shelf-time to storage condition.

## مستخلص البحث

يتناول هذا البحث دراسات الاستقرار لعقار وفرا كلوس بهدف سلامة المريض والتحقق من مدة الصلاحية المزعومة، وقد اجريت هذه الدراسات على ثلاثة عينات من العقار ، والذي يتكون من مكونين اساسيين هما الامبسلين والكلوكسيسلين .

وقد وضعت العينة الأولى في الثلاجه عند درجة حراره  $8^{\circ}\text{C}$  العينه الثانيه عند درجة حراره الغرفه  $25^{\circ}\text{C}$  والعينه الثالثه في فرن حرارته  $40^{\circ}\text{C}$ .

وقد تم تحليلهن تحليلا كيميائيا وايجاد نسبه الفعاليه اسبوعيا على مدى 28 يوما.

استخدمت طريقه اليه للتحليل للكلوكسيسلين حيث حضرت ثلاثه دوارق حجميه سعه 100 مل باستخدام وزنه من العينه وذوبت بالماء واكمل الحجم حتى العلامه ثم اخذت 2 مل منها ثم خففت بحامض الهيدروكلوريك تركيز 0.1 M ثم قيست الامتصاصيه لكل واحده منهن في مدى 350 نانوميتر .

كذلك اجريت الية التحليل للمكون الاخر للعقار وهو الامبسلين حيث حضرت ايضا ثلاث دوارق حجميه بتركيز 144 ملجرام/100مل ثم اكمل الحجم بالطور المتحرك الى 100 ملجرام ثم اخذت 20 مل ليتم بها عمليه الحقن المنفصل وذلك لاجراء التحليل الكروماتغرافي ورسمت علاقات التركيز معبرا عنها بالامتصاصات ضد درجات الحراره .

واخيرا سجلت النتائج وحسبت النسبه المئويه واستنتجت على ضوءها الاستقرارية.

وتوصى الدراسة بالالتزام بالارشادات الدوائية للعقار من حيث مدة الصلاحية وظروف التخزين.

## List of Contents

<b>Content</b>	<b>Page</b>
Dedication	I
Acknowledgment	II
Abstract	III

### Chapter one

1.1. Stability of Pharmaceutical Product	1
1.2. Instability	2
1.3. Chemical Degradation	3
1.4. Physical Degradation	4
1.5. Factors Influencing Degradations	5
1.6. Additives	6
1.7. Powders	7
1.8. Wafraclox Suspension	9
1.8.1. Colxacillin Sodium:	10
1.9. Ampicillin	12

### Chapter two

2. Literature Review	15
2.1. Experimental	17
2.1.1. Reagents and Chemicals	17
2.1.3. Determination of $\lambda_{max}$ of the Complexes	17
2.1.4. Absorption Spectrum of DDQ	17
2.1.5. Absorption Spectrum of Drug-DDQ Complex	18
2.1.6. Effective of Time on the Formation of Complexes	18

2.2. Assay Procedure for Capsules Dosage Forms	19
2.2.1. Submission	20
2.2.2. Stoichiometric Determination of the Complex	21
2.2.3. Optimization of Reaction Conditions	22
2.2.4. Beers Calibration Plots for the Complexes	24
2.2.5. Denouement	26
2.2.6. Comparative Study of RP-HPLC and UV Spectrophotometric Technique	26
2.2.7. Experimental Details	27
2.2.8. Reagent and Standard Solutions	29
2.3. Sample Solutions	29
2.3.1. Implications and Disputation	30
2.3.2. Method Development	30
2.3.3. Non-derivative UV Spectrophotometric Techniques	30
2.3.4. Derivative UV Spectrophotometric Technique	32
2.3.5. Method Validation and Application	35
2.3.6. Ampicillin/Sulbactam	37
2.3.7. Pharmacodynamics/Pharmacokinetics	38
2.3.8. Mechanism of Action	39
2.3.9. Formulation	39
2.4. Contraindications	40

### **Chapter Three**

3.1 Materials	41
3.2. Instruments	42
3.3. Method of Analysis	42

## Chapter Four

4. Results	43
4.1. Discussion	72
4.2. Conclusion	73
4.3. Recommendation	73
4.4. References	74

## List of Tables

Table NO	Name	Page
(1.1)	Average weight of oral powders and percentage deviation	9
(2.1)	Assay parameters and regression analysis	23
(2.2)	Analysis of some pharmaceutical preparations	25
(2.3)	Experimental parameters calculated for the simultaneous determination of AMO and CLO in binary mixture by compensation technique .	31
(2.4)	Calibration graphs of AMO and CLA of HPLC and UV derivative spectrophotometry.	36
(4.1)	The effect of time on concentration and PH of active C°ingredient of wafraclox suspension at 8	69
(4.2)	The effect of time on concentration and PH of active C°ingredient of wafraclox suspension at 25	70
(4.3)	The effect of time on concentration and PH of active ingredient of wafraclox suspension at 40° C.	71

## List of Figures

Figure NO	Name	Page
(1.1)	Cloxacillin sodium	10
(1.2)	Ampicillin	12
(2.1)b	Cloxacillin	15
(2.2)	2, 3-dichloro-5,6-dicyano-1,4 benzoquinone(DDQ)	15
(2.3)	Absorbance spectra of Cloxacillin-DDQ complex	21
(2.4)	Effect of pH on the formation Ampicillin-DDQ	23
(2.5)a	Zero order spectra	31
(2.5) b	Zero order spectra	33
(2.6) a	First-order derivative spectra	34
(2.6) b	Second-order derivative spectra	35
(2.7)	A typical chromatogram of a commercial sample	35

## List of Abbreviations

DDQ	2,3-dichloro-5,6-dicyano-1,4 benzoquinone	17
LOD	The limit of detection	24
LOQ	The limit of quantification	24
AMO	Amoxacillin	28
CLO	Cloxacillin	28